L Number	Hits	Search Text	DB	Time stamp
-	4	(("5354381") or ("6020592") or ("6182604") or ("5711812")).PN.	USPAT	2003/10/30 15:57
-	744743	h01l021$.ipc. c23c016.ipc.	JPO; DERWENT	2003/10/30 10:49
-	57394	(h01l021$.ipc. c23c016.ipc.) and ((ion with (implant$5 plat$5)) dop$3)	JPO; DERWENT	2003/10/30 12:26
-	18681	((h01l021$.ipc. c23c016.ipc.) and ((ion with (implant$5 plat$5)) dop$3)) and (electrode anode cathode)	JPO; DERWENT	2003/10/30 10:55
-	241	(((h01l021$.ipc. c23c016.ipc.) and ((ion with (implant$5 plat$5)) dop$3)) and (electrode anode cathode)) and (puls$5 modulat$3 intermittent$2)	JPO; DERWENT	2003/10/30 12:27
-	4	((((h01l021$.ipc. c23c016.ipc.) and ((ion with (implant$5 plat$5)) dop$3)) and (electrode anode cathode)) and (puls$5 modulat$3 intermittent$2)) and (rotat$3 revolv$3 revolution spin$4)	JPO; DERWENT	2003/10/30 12:28
-	135545	(h01l021$.ipc. c23c016.ipc.) and (electrode anode cathode)	JPO; DERWENT	2003/10/30 10:55
-	2013	((h01l021$.ipc. c23c016.ipc.) and (electrode anode cathode)) and (puls$5 modulat$3 intermittent$2)	JPO; DERWENT	2003/10/30 10:55
-	66	(((h01l021$.ipc. c23c016.ipc.) and (electrode anode cathode)) and (puls$5 modulat$3 intermittent$2)) and (rotat$3 revolv$3 revolution spin$4)	JPO; DERWENT	2003/10/30 10:55
-	62	((((h01l021$.ipc. c23c016.ipc.) and (electrode anode cathode)) and (puls$5 modulat$3 intermittent$2)) and (rotat$3 revolv$3 revolution spin$4)) not (((((h01l021$.ipc. c23c016.ipc.) and ((ion with (implant$5 plat$5)) dop$3)) and (electrode anode cathode)) and (puls$5 modulat$3 intermittent$2)) and (rotat$3 revolv$3 revolution spin$4))	JPO; DERWENT	2003/10/30 11:05
-	237	((((h01l021$.ipc. c23c016.ipc.) and ((ion with (implant$5 plat$5)) dop$3)) and (electrode anode cathode)) and (puls$5 modulat$3 intermittent$2)) not ((((h01l021$.ipc. c23c016.ipc.) and (electrode anode cathode)) and (puls$5 modulat$3 intermittent$2)) and (rotat$3 revolv$3 revolution spin$4))	JPO; DERWENT	2003/10/30 12:18
-	959	(118/723e).CCLS.	USPAT	2003/10/30 12:18
-	517	((156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.	USPAT	2003/10/30 12:19
-	55	(156/345.55).CCLS.	USPAT	2003/10/30 12:19
-	789	(118/730).CCLS.	USPAT	2003/10/30 12:22
-	351	((118/723e).CCLS.) and (rotat$3 revolv$3 revolution spin$4)	USPAT	2003/10/30 14:24
-	169	(((156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.) and (rotat$3 revolv$3 revolution spin$4)	USPAT	2003/10/30 12:22
-	220	((118/730).CCLS.) and (electrode cathode anode)	USPAT; EPO; JPO	2003/10/30 12:27
-	21	((156/345.55).CCLS.) and (electrode cathode anode)	USPAT; EPO; JPO	2003/10/30 12:23
-	149266	((ion with (implant$5 plat$5)) dop$3)	USPAT	2003/10/30 12:27
-	76595	(((ion with (implant$5 plat$5)) dop$3)) and (electrode cathode anode)	USPAT	2003/10/30 13:21
-	22572	((((ion with (implant$5 plat$5)) dop$3)) and (electrode cathode anode)) and (puls$5 modulat$3 intermittent$2)	USPAT	2003/10/30 13:00
-	8137	(((((ion with (implant$5 plat$5)) dop$3)) and (electrode cathode anode)) and (puls$5 modulat$3 intermittent$2)) and (rotat$3 revolv$3 revolution spin$4)	USPAT	2003/10/30 12:56

-	127	(((((ion with (implant$5 plat$5)) dop$3)) and (electrode cathode anode)) and (puls$5 modulat$3 intermittent$2)) and (rotat$3 revolv$3 revolution spin$4)) and (156/345$.ccls. 118/723$.ccls.)	USPAT	2003/10/30 12:57
-	392567	electrode cathode anode	USPAT	2003/10/30 12:55
-	120724	(electrode cathode anode) and (rotat$3 revolv$3 revolution spin$4)	USPAT	2003/10/30 13:21
-	1082	((electrode cathode anode) and (rotat$3 revolv$3 revolution spin$4)) and (156/345$.ccls. 118/723$.ccls.)	USPAT	2003/10/30 13:01
-	27152	(electrode cathode anode) and ((rotat$3 revolv$3 revolution spin$4) with (substrate wafer holder susceptor pedestal support stage))	USPAT	2003/10/30 13:00
-	52020	((electrode cathode anode) and (rotat$3 revolv$3 revolution spin$4)) and (puls$5 modulat$3 intermittent$2)	USPAT	2003/10/30 13:01
-	258	(((electrode cathode anode) and (rotat$3 revolv$3 revolution spin$4)) and (puls$5 modulat$3 intermittent$2)) and (156/345$.ccls. 118/723$.ccls.)	USPAT	2003/10/30 13:13
-	10082	((electrode cathode anode) and ((rotat$3 revolv$3 revolution spin$4) with (substrate wafer holder susceptor pedestal support stage))) and (puls$5 modulat$3 intermittent$2)	USPAT	2003/10/30 13:21
-	142	(((electrode cathode anode) and ((rotat$3 revolv$3 revolution spin$4) with (substrate wafer holder susceptor pedestal support stage))) and (puls$5 modulat$3 intermittent$2)) and (156/345$.ccls. 118/723$.ccls.)	USPAT	2003/10/30 13:01
-	67	((((electrode cathode anode) and ((rotat$3 revolv$3 revolution spin$4) with (substrate wafer holder susceptor pedestal support stage))) and (puls$5 modulat$3 intermittent$2)) and (156/345$.ccls. 118/723$.ccls.)) not (((((((ion with (implant$5 plat$5)) dop$3)) and (electrode cathode anode)) and (puls$5 modulat$3 intermittent$2)) and (rotat$3 revolv$3 revolution spin$4)) and (156/345$.ccls. 118/723$.ccls.))	USPAT	2003/10/30 13:13
-	116	((((electrode cathode anode) and (rotat$3 revolv$3 revolution spin$4)) and (puls$5 modulat$3 intermittent$2)) and (156/345$.ccls. 118/723$.ccls.)) not ((((electrode cathode anode) and ((rotat$3 revolv$3 revolution spin$4) with (substrate wafer holder susceptor pedestal support stage))) and (puls$5 modulat$3 intermittent$2)) and (156/345$.ccls. 118/723$.ccls.))	USPAT	2003/10/30 13:13
-	64	(((((electrode cathode anode) and (rotat$3 revolv$3 revolution spin$4)) and (puls$5 modulat$3 intermittent$2)) and (156/345$.ccls. 118/723$.ccls.)) not ((((electrode cathode anode) and ((rotat$3 revolv$3 revolution spin$4) with (substrate wafer holder susceptor pedestal support stage))) and (puls$5 modulat$3 intermittent$2)) and (156/345$.ccls. 118/723$.ccls.))) not (((((((ion with (implant$5 plat$5)) dop$3)) and (electrode cathode anode)) and (puls$5 modulat$3 intermittent$2)) and (rotat$3 revolv$3 revolution spin$4)) and (156/345$.ccls. 118/723$.ccls.))	USPAT	2003/10/30 13:20
-	1324	varian.as.	USPAT	2003/10/30 13:20
-	615	varian.as. and (rotat$3 revolv$3 revolution spin$4)	USPAT	2003/10/30 14:58

–	252	(varian.as. and (rotat$3 revolv$3 revolution spin$4)) and (electrode cathode anode)	USPAT	2003/10/30 13:21
–	105	((varian.as. and (rotat$3 revolv$3 revolution spin$4)) and (electrode cathode anode)) and (puls$5 modulat$3 intermittent$2)	USPAT	2003/10/30 13:22
–	287	(((118/723e).CCLS.) and (rotat$3 revolv$3 revolution spin$4)) not ((((electrode cathode anode) and (rotat$3 revolv$3 revolution spin$4)) and (puls$5 modulat$3 intermittent$2)) and (156/345$.ccls. 118/723$.ccls.))	USPAT	2003/10/30 14:40
–	233	(((((118/723e).CCLS.) and (rotat$3 revolv$3 revolution spin$4)) not ((((electrode cathode anode) and (rotat$3 revolv$3 revolution spin$4)) and (puls$5 modulat$3 intermittent$2)) and (156/345$.ccls. 118/723$.ccls.))) and (speed rate)	USPAT	2003/10/30 14:24
–	98	((118/723e).CCLS.) and ((rotat$3 revolv$3 revolution spin$4) same (speed rate))	USPAT	2003/10/30 14:25
–	73	((118/723e).CCLS.) and ((rotat$3 revolv$3 revolution spin$4) with (speed rate))	USPAT	2003/10/30 14:47
–	97	(((((156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.) and (rotat$3 revolv$3 revolution spin$4)) not (((118/723e).CCLS.) and (rotat$3 revolv$3 revolution spin$4))	USPAT	2003/10/30 14:45
–	82	((((((156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.) and (rotat$3 revolv$3 revolution spin$4)) not (((118/723e).CCLS.) and (rotat$3 revolv$3 revolution spin$4))) not ((((electrode cathode anode) and (rotat$3 revolv$3 revolution spin$4)) and (puls$5 modulat$3 intermittent$2)) and (156/345$.ccls. 118/723$.ccls.))	USPAT	2003/10/30 14:45
–	180	(((118/730).CCLS.) and (electrode cathode anode)) not (((118/723e).CCLS.) and (rotat$3 revolv$3 revolution spin$4))	USPAT	2003/10/30 14:45
–	177	((((118/730).CCLS.) and (electrode cathode anode)) not (((118/723e).CCLS.) and (rotat$3 revolv$3 revolution spin$4))) not ((((156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.) and (rotat$3 revolv$3 revolution spin$4))	USPAT	2003/10/30 14:45
–	160	(((((118/730).CCLS.) and (electrode cathode anode)) not (((118/723e).CCLS.) and (rotat$3 revolv$3 revolution spin$4))) not ((((156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.) and (rotat$3 revolv$3 revolution spin$4))) not ((((electrode cathode anode) and (rotat$3 revolv$3 revolution spin$4)) and (puls$5 modulat$3 intermittent$2)) and (156/345$.ccls. 118/723$.ccls.))	USPAT	2003/10/30 14:46
–	25	(((118/723e).CCLS.) and ((rotat$3 revolv$3 revolution spin$4) same (speed rate))) not (((118/723e).CCLS.) and ((rotat$3 revolv$3 revolution spin$4) with (speed rate)))	USPAT	2003/10/30 14:48

-	57	(((((((118/730).CCLS.) and (electrode cathode anode)) not (((118/723e).CCLS.) and (rotat$3 revolv$3 revolution spin$4))) not ((((156/345.43) or (156/345.44) or (156/345.45) or (156/345.46) or (156/345.47)).CCLS.) and (rotat$3 revolv$3 revolution spin$4)) not ((((electrode cathode anode) and (rotat$3 revolv$3 revolution spin$4)) and (puls$5 modulat$3 intermittent$2)) and (156/345$.ccls. 118/723$.ccls.))) and ((rotat$3 revolv$3 revolution spin$4) with (speed rate))	USPAT	2003/10/30 14:49
-	350	((118/723e).CCLS.) and ((ion with (implant$5 plat$5)) dop$3)	USPAT	2003/10/30 14:57
-	155	(((118/723e).CCLS.) and ((ion with (implant$5 plat$5)) dop$3)) and (rotat$3 revolv$3 revolution spin$4)	USPAT	2003/10/30 15:02
-	3	"59217330"	JPO; DERWENT	2003/10/30 16:01
-	1	"8227880"	JPO; DERWENT	2003/10/30 16:01
-	2	"07201822"	JPO; DERWENT	2003/10/30 16:02
-	2	"54058361"	JPO; DERWENT	2003/10/30 16:03
-	3	"2217399"	JPO; DERWENT	2003/10/30 16:03
-	2	"02217399"	JPO; DERWENT	2003/10/30 16:05
-	3	"57023227"	JPO; DERWENT	2003/10/30 16:05
-	5	(("6375860") or ("6443092") or ("5990016") or ("5997686") or ("4767641")).PN.	USPAT	2003/10/30 16:05
-	2	(("5904487") or ("4885074")).PN.	USPAT	2003/10/30 16:06
-	220	magnet with spoke	USPAT	2003/10/30 16:43
-	4619	118/723$.ccls. 156/345$.ccls.	USPAT	2003/10/30 16:43
-	4	(magnet with spoke) and (118/723$.ccls. 156/345$.ccls.)	USPAT	2003/10/30 16:43
-	14	(("5911832") or ("6182604") or ("6020592") or ("5354381") or ("6173673") or ("5997649") or ("6022446") or ("6196155") or ("6216632") or ("6048435") or ("5567243") or ("5759282") or ("4767641") or ("5904487")).PN.	USPAT	2003/10/30 17:21
-	1	("6020592").PN.	DERWENT	2003/10/30 17:22
-	1	("6020592").PN.	USPAT	2003/10/30 17:22
-	13	("4135097" | "4228358" | "4234797" | "4361762" | "4421988" | "4433247" | "4463255" | "4587433" | "4595837" | "4751393" | "4786814" | "5354381" | "5825035").PN.	USPAT	2003/10/30 17:22
-	2	"01022027"	JPO; DERWENT	2003/10/31 11:46
-	1480	plasma with dop$3	JPO; DERWENT	2003/10/31 11:02
-	55	(plasma with dop$3) and (rotat$3 revolv$3 spin$4 revolution roll$3)	JPO; DERWENT	2003/10/31 11:03
-	43725	ion with implant$5	JPO; DERWENT	2003/10/31 11:03
-	1353	(ion with implant$5) and (rotat$3 revolv$3 spin$4 revolution roll$3)	JPO; DERWENT	2003/10/31 11:07
-	65	((ion with implant$5) and (rotat$3 revolv$3 spin$4 revolution roll$3)) and plasma	JPO; DERWENT	2003/10/31 11:03
-	38	((ion with implant$5) and (rotat$3 revolv$3 spin$4 revolution roll$3)) and pulse	JPO; DERWENT	2003/10/31 11:03
-	39	((ion with implant$5) and (rotat$3 revolv$3 spin$4 revolution roll$3)) and puls$5	JPO; DERWENT	2003/10/31 11:07
-	323	(ion with implant$5) and (rotary)	JPO; DERWENT	2003/10/31 11:07

-	10	((ion with implant$5) and (rotary)) and puls$5	JPO; DERWENT	2003/10/31 11:07
-	1	("5102523").PN.	USPAT; EPO; JPO	2003/10/31 11:49
-	3	"57023227"	JPO; DERWENT	2003/10/31 12:48
-	1	("6020592").PN.	USPAT; EPO; JPO	2003/10/31 13:06
-	1	("5354381").PN.	USPAT; EPO; JPO	2003/10/31 13:06
-	0	(("5354381").PN.) and cylinder	USPAT; EPO; JPO	2003/10/31 13:17
-	1	(("5354381").PN.) and cylindrical	USPAT; EPO; JPO	2003/10/31 13:16
-	1	("6182604").PN.	USPAT; EPO; JPO	2003/10/31 13:16
-	1	(("6182604").PN.) and cylindrical	USPAT; EPO; JPO	2003/10/31 13:18
-	1	(("6182604").PN.) and cylinder	USPAT; EPO; JPO	2003/10/31 13:18
-	1	("5911832").PN.	USPAT; EPO; JPO	2003/10/31 13:18
-	0	(("5911832").PN.) and cylindrical	USPAT; EPO; JPO	2003/10/31 13:18
-	0	(("5911832").PN.) and cylinder	USPAT; EPO; JPO	2003/10/31 15:20
-	233283	(chamber reactor vessel housing) with (cylinder cylindrical)	USPAT	2003/10/31 15:21
-	593	((chamber reactor vessel housing) with (cylinder cylindrical)) and 118/723e	USPAT	2003/10/31 15:21
-	60	((chamber reactor vessel housing) with (cylinder cylindrical)) and 156/345.43	USPAT	2003/10/31 16:29
-	2	plasma and dop$3 and (hollow with (cathode anode electrode)) and magnet$2	JPO; DERWENT	2003/10/31 16:33
-	213	plasma and dop$3 and (hollow with (cathode anode electrode)) and magnet$2	USPAT	2003/10/31 16:33
-	66	plasma and dop$3 and ((hollow with (cathode anode electrode)) same magnet$2)	USPAT	2003/10/31 16:51
-	126	plasma and dop$3 and (((cylindrical cylinder) with (cathode anode electrode)) same magnet$2)	USPAT	2003/10/31 16:52
-	96	(plasma and dop$3 and (((cylindrical cylinder) with (cathode anode electrode)) same magnet$2)) not (plasma and dop$3 and ((hollow with (cathode anode electrode)) same magnet$2))	USPAT	2003/10/31 17:33
-	58	(156/345.45).CCLS.	USPAT	2003/10/31 17:34
-	13	("4657619" | "4657629" | "4664938" | "4891095" | "4962727" | "5045166" | "5225740" | "5284544" | "5350454" | "5359621" | "5361016" | "5387777" | "5527394").PN.	USPAT	2003/10/31 17:41
-	1	("6182604").PN.	DERWENT	2003/10/31 18:27
-	1	("6182604").PN.	USPAT	2003/10/31 18:28
-	12	("4135097" | "4595837" | "4764394" | "4786814" | "5345145" | "5354381" | "5572038" | "5654043" | "5711812" | "5911832" | "5970907" | "6050218").PN.	USPAT	2003/10/31 18:28
-	25	crowell.xa.	USPAT; EPO; JPO	2003/11/01 16:37
-	6	(("5759282") or ("4443488") or ("6196155") or ("6022446") or ("5567243") or ("6048435")).PN.	USPAT; EPO; JPO	2003/11/01 16:38